## NSN 3020-00-732-9677

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-732-9677

Body Style:

Plain, solid

**Attachment Method:** 

Mounting hole

### Pitch Diameter:

1.3125 inches

## **Teeth Quantity:**

42

Bore Style:

Plain both ends

#### Mounting Hole Thread Series Designator:

Unc transversely through hub, first end

#### Mounting Hole Thready Qty Per Inch (tpi):

32 transversely through hub, first end

#### Hardness Rating:

30.0 rockwell c and 35.0 rockwell c

#### Mounting Hole Thread Size:

0.138 inches transversely through hub, first end

#### Mounting Hole Type And Quantity:

1 plain transversely through hub, first end and 1 threaded transversely through hub, first end

## Outside Diameter:

1.374 inches

## Nominallength:

0.625 inches

#### Tooth Form:

Standard

#### Pressure Angle:

20.0000 degrees

#### Distance Between Body Face And Protruding Hub End:

0.375 inches first end

#### Face Width:

0.250 inches

#### Bore Diameter:

0.312 inches both ends

#### Hub Style Designator:

Plain first end

#### Hub Diameter:

0.750 inches first end

## Precision Classification:

Quality number 10 or quality number 11

#### Mounting Hole Diameter:

0.094 inches transversely through hub, first end

# NSN 3020-00-732-9677

Spur Gear - Page 2 of 2

Material:

Steel

Style Designator:

Protruding hub

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A27300

