## NSN 3020-00-734-8439

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-734-8439

Outside Diameter:
15.930 inches
<b>Bolt Circle Diameter:</b>
8.812 inches
Bore Diameter:
Between 8.002 inches and 8.004 inches
Bore Length:
Between 1.140 inches and 1.172 inches
Drilled Hole Diameter:
0.502 inches
Pitch Diameter:
14.688 inches
Securing Hole Quantity:
14
Face Width:
Between 1.140 inches and 1.172 inches
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Not included
Hole Location:
On body of wheel
Keying Facility:
Not included
Securing Method:
Drilled hole
Lightening Hole:
Not included
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
23
Asa Standard Chain Number:
160
Hardness Rating Test Method:
Deelevell

Rockwell

## **NSN 3020-00-734-8439** Sprocket Wheel - Page 2 of 2



Teeth Hardness Rating:
Between 45.0 rockwell c and 50.0 rockwell c
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
2.000 inches
Special Features:
Chamfer 1/16 in. By 45 degrees one end of bore only
Material:
Steel, qq-s-633, fs1040-canceled
Material:
Steel comp 1040
Material Specification:
Qq-s-633, fs1040-canceled federal specification single material response
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c