NSN 3020-00-737-6129

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-737-6129

Body Style:
Webbed, offset, solid
Spline Quantity:
18 both ends
Attachment Method:
Mounting hole
Pitch Diameter:
5.4167 inches
Teeth Quantity:
65
Bore Style:
Involute spline both ends
Spline Pitch Diameter:
0.9090 inches first end
Hardness Rating:
58.0 rockwell c and 62.0 rockwell c
Mounting Hole Type And Quantity:
3 plain axially through body, first end
Outside Diameter:
5.555 inches
Nominallength:
2.603 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.218 inches first end
Face Width:
0.500 inches
Bore Diameter:
0.985 inches first end
Counterbore Depth:
1.690 inches first end
Counterbore Diameter:
1.060 inches first end
Hub Style Designator:
Plain both ends
Hub Diameter:
1.378 inches first end
Mounting Hole Diameter:
-

0.270 inches transversely through bottom

NSN 3020-00-737-6129

Spur Gear - Page 2 of 2

A27300

spec.

Mil-std (military Standard):



Bolt Hole Circle Diameter: 1.750 inches axially through body, first end Material: Steel comp 8620h Material Specification: -s-13048 military specification single material response Style Designator: Bell shape body, protruding hubs Shelf Life: N/a Unit Of Measure: - Demilitarization: No Fiig: