NSN 3020-00-737-8779

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-737-8779

Body Style:
Webbed, solid
Attachment Method:
Mounting hole
Pitch Diameter:
18.3333 inches
Teeth Quantity:
110
Bore Style:
W/counterbore both ends
Mounting Hole Thread Series Designator:
Unf axially through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
20 axially through hub, first end
Hardness Rating:
60.0 rockwell c
Mounting Hole Thread Size:
0.500 inches transversely through hub between firstend flange and body
Mounting Hole Type And Quantity:
8 threaded axially through hub, first end
Outside Diameter:
18.433 inches
Nominallength:
0.937 inches
Tooth Form:
Standard
Pressure Angle:
25.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.187 inches first end
Body Recess Depth:
0.124 inches second end
Face Width:
0.750 inches
Bore Diameter:
8.267 inches both ends
Counterbore Depth:
0.1420 inches first end
Counterbore Diameter:
9.010 inches first end
Hub Style Designator:

Plain first end

NSN 3020-00-737-8779 Spur Gear - Page 2 of 2



Hub Diameter:
10.750 inches first end
Bolt Hole Circle Diameter:
9.750 inches axially through hub, first end
Material:
Steel comp 8620h
Material Specification:
-s-13048 military specification single material response
Style Designator:
Protruding hub, recessed body
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300
Mil-std (military Standard):
spec.