NSN 3020-00-739-8649



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-739-8649 **Body Style:** Plain, solid **Attachment Method:** Clamp Pitch Diameter: 0.5555 inches **Teeth Quantity:** 40 **Bore Style:** Plain both ends **Outside Diameter:** 0.580 inches Nominallength: 0.175 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.123 inches first end Face Width: 0.050 inches **Bore Diameter:** 0.188 inches both ends **Hub Style Designator:** Split first end **Hub Diameter:** 0.248 inches first end **Clamping Surface Length:** 0.113 inches first end Material: Steel comp 303se **Material Specification:** Mil-s-7720, comp 303se military specification single material response **Surface Treatment: Passivate Surface Treatment Specification:**

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-std-171, finish no. 5.4.1 military standard single treatment response

Style Designator:

Protruding hub

Shelf Life:

N/a

NSN 3020-00-739-8649

Spur Gear - Page 2 of 2



| | | | ure: | |
|--|--|--|------|--|
| | | | | |
| | | | | |

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.