

View Online at <https://aerobasegroup.com/nsn/3020-00-741-1971>

**Outside Diameter:**

2.500 inches

**Overall Length:**

Between 0.875 inches and 0.877 inches

**Key Width:**

0.250 inches

**Thread Size:**

14 in. - 20

**Bore Diameter:**

Between 0.985 inches and 0.986 inches

**Bore Length:**

Between 0.875 inches and 0.877 inches

**Distance From Center Of Bore To Bottom Of Keyway:**

Between 0.617 inches and 0.618 inches

**Pitch Diameter:**

2.247 inches

**Securing Hole Quantity:**

1

**Face Width:**

0.281 inches

**Design Form:**

Plain

**Bore Type:**

Straight

**Counterbore Feature:**

Not included

**Hole Location:**

Located 90 degrees from keyway

**Keying Facility:**

Included

**Keying Facility Type:**

Keyway

**Securing Method:**

Threaded hole

**Lightening Hole:**

Not included

**Protruding Hub Characteristic:**

Stepped

**Groove/step Location:**

Aa end

**Securing Location:**

Aa end

**Belt/chain/film Size For Which Designed:**

Roller chain

**Roller Chain Pitch Type For Which Designed:**

Single pitch

**Teeth Row Quantity:**

1

**Teeth Quantity Per Row:**

14

**Asa Standard Chain Number:**

41

**Hardness Rating Test Method:**

Not rated

**Bore Bearing:**

Not included

**Hub External Keyway:**

Not included

**Tooth Pitch:**

0.500 inches

**Hub End Outside Diameter And Location:**

1.312 inches both ends

**Distance From Outside Flange/rim To Hub End And Location:**

0.594 inches both ends and 0.596 inches both ends

**First Step Face Largest Diameter And Location:**

16.687 inches both ends

**First Step Length And Location:**

0.062 inches both ends

**Material:**

Steel, qq-s-633, fs1045-canceled

**Material:**

Steel comp 1045

**Material Specification:**

Qq-s-633, fs1045-canceled federal specification single material response

**Quantity:**

1

**Style Designator:**

Plain

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T353-c