NSN 3020-00-753-2280

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-753-2280

Body Style: Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 2.5000 inches **Teeth Quantity:** 80 **Bore Style:** Plain both ends Mounting Hole Thread Series Designator: Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end Mounting Hole Thread Size: 0.112 inches transversely through hub, first end Mounting Hole Type And Quantity: 1 threaded transversely through hub, first end **Outside Diameter:** 2.561 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.309 inches first end Face Width: 0.189 inches **Bore Diameter:** 0.375 inches both ends Hub Style Designator: Plain first end **Hub Diameter:** 0.750 inches first end **Precision Classification:** Quality number 5 or quality number 6 **Special Features:** One number 0 taper hole located on hub portion of gear between hub end and face Material: Aluminum alloy 6061 **Material Specification:**

Qq-a-250/11, t6 federal specification single material response

NSN 3020-00-753-2280

Spur Gear - Page 2 of 2

Surface Treatment:

Anodize

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

