NSN 3020-00-753-9482

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-753-9482

Body Style:
Webbed, solid
Spline Quantity:
22 both ends
Pitch Diameter:
4.1250 inches
Teeth Quantity:
33
Bore Style:
Involute spline both ends
Spline Pitch Diameter:
2.2000 inches both ends
Hardness Rating:
58.0 rockwell c and 62.0 rockwell c
Outside Diameter:
4.373 inches
Nominallength:
0.810 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.030 inches second end
Face Width:
0.500 inches
Bore Diameter:
2.350 inches both ends
Counterbore Depth:
0.062 inches first end
Counterbore Diameter:
2.385 inches first end
Hub Style Designator:
Plain both ends
Hub Diameter:
2.620 inches first end
Material:
Steel comp 8620h
Material Specification:
66, aisi/sae 8620h federal standard single material response
Style Designator:

Protruding hubs

NSN 3020-00-753-9482

Spur Gear - Page 2 of 2



	L -	11		ife	_
3	ne	п	_	пе	Ξ

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300