## NSN 3020-00-755-4907

Sprocket Wheel - Page 1 of 2

Material: Steel



View Online at https://aerobasegroup.com/nsn/3020-00-755-4907 **Outside Diameter:** 4.000 inches **Overall Length:** 0.812 inches **Bore Diameter:** 0.500 inches **Bore Length:** 0.812 inches **Face Width:** 0.188 inches **Design Form:** Plain **Bore Type:** Straight **Metallic Hardness Rating And Location:** 23.0 rockwell c body and 32.0 rockwell c body **Counterbore Feature:** Not included **Keying Facility:** Not included **Lightening Hole:** Not included **Protruding Hub Characteristic:** Plain **Teeth Row Quantity: Hardness Rating Test Method:** Rockwell **Teeth Hardness Rating:** Between 23.0 rockwell c and 32.0 rockwell c **Bore Bearing:** Not included **Hub External Keyway:** Not included **Hub End Outside Diameter And Location:** 1.030 inches aa end **Special Features:** Material: wrought: steel alloy specastm-a304, casting: steel, fed standard no 66: 4140; heat treatment: mil-h-6875 quench and temper to hardness specified; final protective finish: manganese phosphate per mil-p-16232, type m, class 1 Material: Steel

## **NSN 3020-00-755-4907** Sprocket Wheel - Page 2 of 2



Surface Treatment:
Phosphate
Style Designator:
Plain
Surface Treatment:
Phosphate
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: Т353-с