NSN 3020-00-756-1349

Spur Gear - Page 1 of 2

Body Style:



View Online at https://aerobasegroup.com/nsn/3020-00-756-1349

Webbed, with lightening holes	
Attachment Method:	
Mounting hole	
Pitch Diameter:	
2.5000 inches	
Teeth Quantity:	
80	
Bore Style:	
Plain both ends	
Backlash Designation:	
Grade c	
Hardness Rating:	
30.0 rockwell c and 35.0 rockwell c	
Mounting Hole Type And Quantity:	
1 plain transversely through hub, first end	
Outside Diameter:	
2.563 inches	
Nominallength:	
0.690 inches	
Tooth Form:	
Standard	
Pressure Angle:	
20.0000 degrees	
Distance Between Body Face And Protruding Hub End:	
0.378 inches first end	
Face Width:	
0.312 inches	
Bore Diameter:	
0.438 inches both ends	
Hub Style Designator:	
Plain first end	
Hub Diameter:	
0.750 inches first end	
Precision Classification:	
Quality number 10	
Mounting Hole Diameter:	
0.062 inches transversely through hub, first end	
Material:	
Steel comp 4140	
Material Specification:	
66 federal standard single material response and aisi/sae 4140 assn standard single material respon	se

NSN 3020-00-756-1349 Spur Gear - Page 2 of 2

A27300



Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416, ty2 cl3 federal specification single treatment response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: