## NSN 3020-00-756-8110



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-756-8110 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 3.1111 inches **Teeth Quantity:** 224 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter: 3.188** inches Nominallength: 0.375 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.188 inches both ends **Hub Style Designator:** 1 step first end **End Length:** 0.188 inches first end **End Diameter:** 0.500 inches first end First Step Length:

0.063 inches first endFirst Step Diameter:0.875 inches first end

## NSN 3020-00-756-8110

Spur Gear - Page 2 of 2

**Fiig:** A27300



| Material:   |
|---|
| Steel comp 303se body                                     |
| Material Specification:                                   |
| Qq-s-763 federal specification 1st material response body |
| Surface Treatment:  |
| Passivate body  |
| Style Designator:   |
| Protruding hub  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |