## NSN 3020-00-758-2737



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-758-2737 **Body Style:** Plain, solid **Spline Quantity:** 8 both ends Pitch Diameter: Between 0.3233 inches and 0.3240 inches **Teeth Quantity:** 20 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 0.1667 inches both ends **Hardness Rating:** 28.0 rockwell c and 32.0 rockwell c **Outside Diameter:** 0.343 inches Nominallength: 0.505 inches **Tooth Form:** Standard Pressure Angle: 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.274 inches first end Face Width: 0.096 inches **Bore Diameter:** 0.168 inches both ends **Counterbore Depth:** 0.349 inches first end **Counterbore Diameter:** 0.192 inches first end **Hub Style Designator:** 1 step both ends **End Length:** 0.125 inches second end **Precision Classification:** Quality number 12 **End Diameter:** 

0.250 inches both ends First Step Length:

0.149 inches first end

## NSN 3020-00-758-2737

Spur Gear - Page 2 of 2

A27300



First Step Diameter:
0.281 inches both ends
Material:
Steel comp 416
Material Specification:
Qq-s-764, type 416, cond t federal specification single material response
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: