## NSN 3020-00-758-8164



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-758-8164 **Body Style:** Plain, with lightening holes **Spline Quantity:** 15 first end Pitch Diameter: 4.5000 inches **Teeth Quantity:** 144 **Bore Style:** W/counterbore both ends Hardness Rating: 89.0 rockwell superficial 15-n and 91.0 rockwell superficial 15-n teeth **Outside Diameter:** 4.560 inches Nominallength: 1.032 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.782 inches first end **Face Width:** 0.250 inches **Bore Diameter:** 1.185 inches both ends **Counterbore Depth:** 0.362 inches second end **Counterbore Diameter:** 1.259 inches second end **Hub Style Designator:** Plain first end **Special Features:** 1st end hub has external spline Material: Steel comp 4620 **Material Specification:** Mil-s-7493, comp 4620 military specification single material response **Style Designator:** Protruding hub

Shelf Life:

N/a

## NSN 3020-00-758-8164

Spur Gear - Page 2 of 2



П	Init	7 1+	Measure:
u	,,,,,	v	wicasuic.

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7493 spec.