## NSN 3020-00-759-1897



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-759-1897 **Body Style:** Webbed, with lightening holes **Spline Quantity:** 23 both ends Pitch Diameter: 4.8500 inches **Teeth Quantity:** 97 **Bore Style:** Straight spline both ends Hardness Rating: 64.0 rockwell superficial 45-n and 69.0 rockwell superficial 45-n teeth **Outside Diameter: 4.947** inches Nominallength: 0.993 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 1.180 inches first end **Face Width:** 0.750 inches **Bore Diameter:** 1.379 inches both ends **Counterbore Depth:** 0.243 inches both ends **Counterbore Diameter:** 1.501 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 1.810 inches both ends Material: Steel comp 4620 **Material Specification:** Mil-s-7493, comp 4620 military specification single material response **Style Designator:** Protruding hubs

N/a

Shelf Life:

## NSN 3020-00-759-1897

Spur Gear - Page 2 of 2



		. ~				
ı	ını	t Of	· M	മമ	CII	re.

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7493 spec.