## NSN 3020-00-760-5899



Groove Pulley - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-760-5899 **Groove Depth:** 0.055 inches **Groove Width:** 0.375 inches **Outside Diameter:** 2.187 inches **Overall Length:** 0.625 inches **Keyway Width:** 0.095 inches **Thread Size:** 6-32 **Bore Diameter:** 0.375 inches **Bore Length:** 0.625 inches **Distance From Center Of Bore To Bottom Of Keyway:** 0.235 inches **Groove Radius:** 0.026 inches **Securing Hole Quantity:** 1 **Furnished Items And Quantity:** Setscrews 2, stud 1 **Material And Location:** Steel, qq-s-763, class 7, type a **Face Width:** 0.437 inches **Design Form:** Webbed **Bore Type:** Straight Bearings: Not included **Groove Quantity: Counterbore Feature:** Not included **Hole Location:** Located on hub portion of gear between hub end and face

**Keying Facility:** 

Included

## **NSN 3020-00-760-5899** Groove Pulley - Page 2 of 2



Keying Facility Type:
Keyway
Securing Method:
Threaded hole
Split Hub Feature:
Not included
Web/spoke Relationship To Face Centerline:
Not offset
Lightening Hole:
Not included
Integral Cooling Vane:
Not included
Groove Shape:
U
Bore Feature:
Included
Protruding Hub Characteristic:
Plain
Securing Location:
Aa end
Hub End Outside Diameter And Location:
0.750 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.187 inches aa end
Quantity:
1
Surface Treatment:
Chemical per mil-std-171, finish no. 5.4 o/a
Style Designator:
Webbed or spoked
Surface Treatment:
Chemical per mil-std-171, finish no. 5.4 o/a
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-a