

View Online at <https://aerobasegroup.com/nsn/3020-00-760-5899>

Groove Depth:

0.055 inches

Groove Width:

0.375 inches

Outside Diameter:

2.187 inches

Overall Length:

0.625 inches

Keyway Width:

0.095 inches

Thread Size:

6-32

Bore Diameter:

0.375 inches

Bore Length:

0.625 inches

Distance From Center Of Bore To Bottom Of Keyway:

0.235 inches

Groove Radius:

0.026 inches

Securing Hole Quantity:

1

Furnished Items And Quantity:

Setscrews 2, stud 1

Material And Location:

Steel, qq-s-763, class 7, type a

Face Width:

0.437 inches

Design Form:

Webbed

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

1

Counterbore Feature:

Not included

Hole Location:

Located on hub portion of gear between hub end and face

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Threaded hole

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Not offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

U

Bore Feature:

Included

Protruding Hub Characteristic:

Plain

Securing Location:

Aa end

Hub End Outside Diameter And Location:

0.750 inches both ends

Distance From Outside Flange/rim To Hub End And Location:

0.187 inches aa end

Quantity:

1

Surface Treatment:

Chemical per mil-std-171, finish no. 5.4 o/a

Style Designator:

Webbed or spoked

Surface Treatment:

Chemical per mil-std-171, finish no. 5.4 o/a

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T353-a