NSN 3020-00-762-8876

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-762-8876 **Body Style:** Plain, solid **Attachment Method:** Clamp Pitch Diameter: Between 0.6240 inches and 0.6250 inches **Teeth Quantity:** 45 **Bore Style:** Plain both ends **Outside Diameter:** 0.652 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.170 inches first end **Face Width:** 0.080 inches **Bore Diameter:** 0.090 inches both ends **Hub Style Designator:** Split first end **Hub Diameter:** 0.186 inches first end **Clamping Surface Length:** 0.140 inches first end **Precision Classification:** Quality number 10 or quality number 11 Material: Steel comp 303 **Material Specification:** Qq-s-764, type 303, cond a federal specification single material response **Surface Treatment: Passivate Surface Treatment Specification:** Mil-f-14072, finish e300 military specification single treatment response **Style Designator:** Protruding hub

Protruding h
Shelf Life:
N/a

NSN 3020-00-762-8876

Spur Gear - Page 2 of 2



ι	Jnit	Of	Measure:
•	,,,,,	•	moudai c.

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-f-14072 spec.