## NSN 3020-00-767-5347

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-767-5347

## **Body Style:**

Plain, solid

## **Attachment Method:**

Clamp

## **Pitch Diameter:**

Between 1.2490 inches and 1.2500 inches

## **Teeth Quantity:**

60

Bore Style:

Plain both ends

- **Outside Diameter:**
- 1.291 inches

#### Tooth Form:

Standard

## Pressure Angle:

20.0000 degrees

## Distance Between Body Face And Protruding Hub End:

0.281 inches first end

#### Face Width:

0.125 inches

## Bore Diameter:

0.120 inches both ends

## Hub Style Designator:

Split first end

## Hub Diameter:

0.188 inches first end

### **Clamping Surface Length:**

0.250 inches first end

### **Precision Classification:**

Quality number 10 or quality number 11

### **Special Features:**

Hub is also stepped, 0.500 in.Dia, 0.031 in.Lg

### Material:

Steel

### Surface Treatment:

Passivate

## Surface Treatment Specification:

Mil-f-14072, finish e300 military specification single treatment response

## Style Designator:

Protruding hub

## Shelf Life:

N/a

# NSN 3020-00-767-5347

Spur Gear - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-f-14072 spec.

