## NSN 3020-00-770-7493



Spur Gear - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/3020-00-770-7493

Body Style:
Webbed, offset, with lightening holes

Spline Quantity:
20 both ends

Attachment Method:
Mounting hole

Pitch Diameter:
6.8333 inches

Teeth Quantity:
41

Bore Style:
Involute spline both ends

Spline Pitch Diameter:

1.2500 inches both ends

**Hardness Rating:** 

60.0 rockwell c

**Mounting Hole Type And Quantity:** 

3 plain transversely through face

**Outside Diameter:** 

7.171 inches

**Tooth Form:** 

Standard

Pressure Angle:

25.0000 degrees

**Distance Between Body Face And Protruding Hub End:** 

0.521 inches first end

Distance Between Body Face And Recessed Hub End:

0.333 inches second end

**Face Width:** 

0.896 inches

**Bore Diameter:** 

1.342 inches both ends

**Counterbore Depth:** 

0.094 inches first end

**Counterbore Diameter:** 

1.468 inches first end

**Hub Style Designator:** 

Plain both ends

**Hub Diameter:** 

4.500 inches first end

**Mounting Hole Diameter:** 

0.250 inches axially through body, first end

## NSN 3020-00-770-7493

Spur Gear - Page 2 of 2



## **Bolt Hole Circle Diameter:**

3.125 inches axially through body, first end

Material:

Steel comp 8620h

**Material Specification:** 

66 federal standard single material response

Style Designator:

One protruding hub, one recessed hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300