NSN 3020-00-776-7310

Spur Gear Sector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-776-7310

Attachment Method:
Mounting hole and slot
Teeth Quantity:
40
Bore Style:
W/ keyway both ends
Pitch Radius:
2.5000 inches
Hardness Rating:
26.0 rockwell c and 32.0 rockwell c
Mounting Hole Type And Quantity:
1 countersunk axially through hub, first end
Nominallength:
0.750 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.2190 inches first end
Face Width:
0.562 inches
Bore Diameter:
0.625 inches both ends
Keyway Width:
0.126 inches both ends
Distance From Bore Center To Keyway Bottom:
0.374 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.9380 inches first end
Outside Radius:
2.5705 inches
Arc Length:
2.9530 inches
Mounting Hole Diameter:
0.330 inches axially through hub, first end
Material:
Steel
Material Specification:

Material Opecification

Mil-s-13048 military specification single material response

NSN 3020-00-776-7310

Spur Gear Sector - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
No Fiig:

Mil-std (military Standard):

Mil-s-13048 spec.