## NSN 3020-00-780-5449

Bevel Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-780-5449

Body Style:				
Plain, solid				
Attachment Method:				
Mounting hole				
Pitch Diameter:				
0.7500 inches				
Teeth Quantity:				
24				
Bore Style:				
Plain both ends				
Mounting Hole Thread Series Designator:				
Unc transversely through hub, first end				
Mounting Hole Thready Qty Per Inch (tpi):				
32 transversely through hub, first end				
Mounting Hole Thread Size:				
0.138 inches transversely through hub, first end				
Mounting Hole Type And Quantity:				
1 plain transversely through hub, first end and 1 threaded transversely through hub, first end				
Outside Diameter:				
0.8000 inches				
Nominallength:				
0.466 inches				
Teeth Type:				
Straight				
Pressure Angle:				
20.0000 degrees and 45.0000 degrees				
Distance Between Body Face And Protruding Hub End:				
0.250 inches second end				
Body Recess Depth:				
0.1250 inches first end				
Face Width:				
0.156 inches				
0.156 inches  Bore Diameter:				
Bore Diameter:				
Bore Diameter: 0.250 inches both ends				
Bore Diameter: 0.250 inches both ends Hub Style Designator:				
Bore Diameter: 0.250 inches both ends Hub Style Designator: Pinned second end				
Bore Diameter:  0.250 inches both ends  Hub Style Designator:  Pinned second end  Hub Diameter:				

Special Features:

Both ends of bore countersunk 82 degrees by 0.016 in.

## NSN 3020-00-780-5449

Bevel Gear - Page 2 of 2



RЛ	ate	ria	ı.
IVI	ale	па	ı .

Copper alloy

## Style Designator:

Peripheral face, back hub protruding

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300