

View Online at <https://aerobasegroup.com/nsn/3020-00-782-4151>

Groove Depth:

0.520 inches

Groove Width:

0.380 inches

Outside Diameter:

4.420 inches

Overall Length:

1.690 inches

Keyway Width:

0.159 inches

Bore Diameter:

0.780 inches

Bore Length:

1.690 inches

Distance From Center Of Bore To Bottom Of Keyway:

0.571 inches

Drilled Hole Diameter:

0.250 inches

V Groove Angle In Deg:

28.5

Securing Hole Quantity:

2

Material And Location:

Iron, cast, sae-g3000

Face Width:

1.510 inches

Design Form:

Webbed

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

3

Counterbore Feature:

Not included

Hole Location:

Thru pulley surface

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Drilled hole

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Not offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Bore Feature:

Included

Protruding Hub Characteristic:

Plain

Securing Location:

Aa end

Hub End Outside Diameter And Location:

1.500 inches both ends

Distance From Outside Flange/rim To Hub End And Location:

0.180 inches aa end and 0.370 inches bb end

Quantity:

1

Surface Treatment:

Phosphate treatment per ams-2480

Style Designator:

Webbed or spoked

Surface Treatment:

Phosphate treatment per ams-2480

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a