NSN 3020-00-789-2204

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-789-2204

Counterbore Diameter:
11.375 inches and 15.750 inches
Counterbore Depth:
0.625 inches and 0.500 inches
Outside Diameter:
21.688 inches
Bolt Circle Diameter:
12.375 inches
Bore Diameter:
11.375 inches
Bore Length:
1.750 inches
Drilled Hole Diameter:
Between 0.515 inches and 0.530 inches
Pitch Diameter:
18.850 inches
Securing Hole Quantity:
10
Face Width:
Between 1.719 inches and 1.781 inches
Design Form:
Plain
Bore Type:
Straight
Metallic Hardness Rating And Location:
60.0 rockwell c body
Counterbore Feature:
Included
Counterbore Location:
Both ends
Hole Location:
On sprocket body
Keying Facility:
Not included
Securing Method:
Drilled hole
Lightening Hole:
Not included
Securing Location:
Both ends
Belt/chain/film Size For Which Designed:

Track

NSN 3020-00-789-2204 Sprocket Wheel - Page 2 of 2



Teeth Row Quantity:
1
Teeth Quantity Per Row:
10
Hardness Rating Test Method:
Rockwell
Teeth Hardness Rating:
Between 55.0 rockwell c and 60.0 rockwell c
Bore Bearing:
Not included
Tooth Pitch:
5.750 inches
Material:
Steel, fed qq-s-626, comp 4150, 8750 or 1345
Material:
Steel, fed qq-s-626, comp 4150, 8750 or 1345
Surface Treatment:
Enamel
Style Designator:
Plain
Surface Treatment:
Enamel, olive drab, fed tt-e-529
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
T353-c