

View Online at <https://aerobasegroup.com/nsn/3020-00-789-2204>

Counterbore Diameter:

11.375 inches and 15.750 inches

Counterbore Depth:

0.625 inches and 0.500 inches

Outside Diameter:

21.688 inches

Bolt Circle Diameter:

12.375 inches

Bore Diameter:

11.375 inches

Bore Length:

1.750 inches

Drilled Hole Diameter:

Between 0.515 inches and 0.530 inches

Pitch Diameter:

18.850 inches

Securing Hole Quantity:

10

Face Width:

Between 1.719 inches and 1.781 inches

Design Form:

Plain

Bore Type:

Straight

Metallic Hardness Rating And Location:

60.0 rockwell c body

Counterbore Feature:

Included

Counterbore Location:

Both ends

Hole Location:

On sprocket body

Keying Facility:

Not included

Securing Method:

Drilled hole

Lightening Hole:

Not included

Securing Location:

Both ends

Belt/chain/film Size For Which Designed:

Track

Teeth Row Quantity:

1

Teeth Quantity Per Row:

10

Hardness Rating Test Method:

Rockwell

Teeth Hardness Rating:

Between 55.0 rockwell c and 60.0 rockwell c

Bore Bearing:

Not included

Tooth Pitch:

5.750 inches

Material:

Steel, fed qq-s-626, comp 4150, 8750 or 1345

Material:

Steel, fed qq-s-626, comp 4150, 8750 or 1345

Surface Treatment:

Enamel

Style Designator:

Plain

Surface Treatment:

Enamel, olive drab, fed tt-e-529

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-c