## NSN 3020-00-794-6051

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-794-6051

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.5930 inches
Teeth Quantity:
102
Bore Style:
Plain both ends
Backlash Designation:
Grade b
Mounting Hole Type And Quantity:
4 plain axially through hub, first end
Outside Diameter:
1.625 inches
Nominallength:
0.340 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.210 inches first end
Face Width:
0.130 inches
Bore Diameter:
0.879 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
1.529 inches first end
Precision Classification:
Quality number 8
Mounting Hole Diameter:
0.120 inches axially through hub, first end
Bolt Hole Circle Diameter:
1.100 inches axially through hub, first end
Material:
Aluminum alloy 2024
Material Specification:

Qq-a-225/6, t4 federal specification single material response

## NSN 3020-00-794-6051

Spur Gear - Page 2 of 2



Sty	υt	-51	u	เลเ	u	I -

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300