## NSN 3020-00-796-9043

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-796-9043 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 2.6667 inches **Teeth Quantity:** 32 **Bore Style:** Plain both ends **Mounting Hole Type And Quantity:** 1 plain transversely through hub, first end **Outside Diameter:** 2.828 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.438 inches first end **Face Width:** 0.500 inches **Bore Diameter:** 0.500 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.875 inches first end **Mounting Hole Diameter:** 0.094 inches transversely through hub, first end Material: Steel **Material Specification:** Qq-s-634, fs1015 to 1025 federal specification single material response **Surface Treatment:** Phosphate manganese **Surface Treatment Specification:** Mil-p-16232 type m, class 2 military specification single treatment response **Style Designator:** 

Style Designate
Protruding hub
Shelf Life:

N/a

## NSN 3020-00-796-9043

Spur Gear - Page 2 of 2



П	Init	7 1+	Measure:
u	,,,,,	v	wicasuic.

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-p-16232 spec.