NSN 3020-00-799-7412

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-799-7412 **Body Style:** Plain, solid **Attachment Method:** Clamp Pitch Diameter: 1.0000 inches **Teeth Quantity:** 96 **Bore Style:** Plain both ends Hardness Rating: 75.0 rockwell b and 83.0 rockwell b **Outside Diameter:** 1.021 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.281 inches first end Face Width: 0.125 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Split first end **Hub Diameter:** 0.187 inches first end **Clamping Surface Length:** 0.250 inches first end **Special Features:** Hub is also stepped, 0.250 in.Dia, 0.031 in.Lg Material: Steel comp 303 **Material Specification:** Mil-s-7720, comp 303s military specification single material response **Surface Treatment: Passivate Style Designator:** Protruding hub

Shelf Life: N/a

NSN 3020-00-799-7412

Spur Gear - Page 2 of 2



П	Init	7 1+	Measure:
u	,,,,,	v	wicasuic.

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.