NSN 3020-00-801-5774



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-801-5774 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.0000 inches **Teeth Quantity:** 32 **Bore Style:** W/counterbore both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 1.063 inches Nominallength: 0.313 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.157 inches first end **Face Width:** 0.156 inches **Bore Diameter:** 0.125 inches both ends **Counterbore Depth:** 0.109 inches second end **Counterbore Diameter:** 0.312 inches second end **Hub Style Designator:** Pinned first end

Hub Diameter:

0.500 inches first end

Precision Classification:

Quality number 8

NSN 3020-00-801-5774 Spur Gear - Page 2 of 2

Fiig: A27300



Material:
Copper alloy 360
Material Specification:
Qq-b-626, comp 22, 1/2h federal specification single material response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No