

View Online at <https://aerobasegroup.com/nsn/3020-00-803-0022>

**Groove Depth:**

0.625 inches

**Groove Width:**

0.594 inches

**Outside Diameter:**

3.938 inches

**Overall Length:**

2.813 inches

**Keyway Width:**

Between 0.250 inches and 0.251 inches

**Thread Size:**

5/16-18 thd size

**Bore Diameter:**

Between 1.1250 inches and 1.1255 inches

**Bore Length:**

2.813 inches

**Distance From Center Of Bore To Bottom Of Keyway:**

Between 0.615 inches and 0.617 inches

**V Groove Angle In Deg:**

36.0

**Pitch Diameter:**

2.688 inches

**Securing Hole Quantity:**

1

**Material And Location:**

Iron, cast

**Face Width:**

1.781 inches

**Design Form:**

Plain

**Bore Type:**

Straight

**Bearings:**

Not included

**Groove Quantity:**

2

**Counterbore Feature:**

Not included

**Hole Location:**

Located 180 degrees from keyway

**Keying Facility:**

Included

**Keying Facility Type:**

Keyway

**Securing Method:**

Threaded hole

**Split Hub Feature:**

Not included

**Web/spoke Relationship To Face Centerline:**

Not offset

**Lightening Hole:**

Not included

**Integral Cooling Vane:**

Not included

**Groove Shape:**

V

**Standard V-belt Section Designation For Which Designed:**

11/16 by 13/32 in. Standard sae v-belt

**Bore Feature:**

Included

**Securing Location:**

Aa end

**Hub End Outside Diameter And Location:**

2.000 inches both ends

**Distance From Outside Flange/rim To Hub End And Location:**

1.031 inches both ends

**Quantity:**

1

**Style Designator:**

Plain

**Fsc Application Data:**

Vehicular power transmission components, truck, crash, forcible entry, type r-2a

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T353-a