## NSN 3020-00-810-6907

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-810-6907 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 1.2490 inches and 1.2500 inches **Teeth Quantity:** 80 **Bore Style:** Plain both ends **Mounting Hole Type And Quantity:** 3 countersunk axially through body, second end **Outside Diameter:** 1.280 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.031 inches first end Face Width: 0.078 inches **Bore Diameter:** 0.187 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.562 inches first end **Precision Classification:** Quality number 10 **Mounting Hole Diameter:** 0.089 inches axially through body, first end **Bolt Hole Circle Diameter:** 0.812 inches axially through body, first end Material: Steel comp 303 **Material Specification:** Aisi 303/sae 30303 assn standard single material response **Surface Treatment: Passivate** 

**Style Designator:** Protruding hub

## NSN 3020-00-810-6907

Spur Gear - Page 2 of 2



| _ |   |    | • |    |    |
|---|---|----|---|----|----|
| • | n | ο. | • | 18 | e: |
|   |   |    |   |    |    |

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300