## NSN 3020-00-811-6835

Sprocket Wheel - Page 1 of 2

**Outside Diameter:** 



View Online at https://aerobasegroup.com/nsn/3020-00-811-6835

0.040 inches
0.919 inches
Overall Length:
0.388 inches
Bore Diameter:
0.3152 inches
Bore Length:
0.388 inches
Drilled Hole Diameter:
0.094 inches
Pitch Diameter:
0.809 inches
Securing Hole Quantity:
1
Face Width:
0.108 inches
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Not included
Lubrication Mode:
No visible means
Hole Location:
0.093 in. From face to center of hole
Keying Facility:
Not included
Securing Method:
Drilled hole
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Securing Location:
Aa end
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:

## **NSN 3020-00-811-6835** Sprocket Wheel - Page 2 of 2



Teeth Quantity Per Row:
10
Asa Standard Chain Number:
25
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.250 inches
Distance From Outside Flange/rim To Hub End And Location:
0.270 inches both ends
Material:
Steel, sae 1020
Material:
Steel comp 1020
Material Specification:
Sae 1020 assn standard single material response
Surface Treatment:
Cadmium
Style Designator:
Plain
Surface Treatment:
Cadmium plated
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
T353-c