NSN 3020-00-812-4878

Flat Pulley - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-812-4878

Outside Diameter:

0.732 inches

Overall Length:

0.430 inches

Thread Size:

0.060-80

Bore Diameter:

0.250 inches

Bore Length:

0.438 inches

Drilled Hole Diameter:

0.187 inches

Securing Hole Quantity:

1 and 1

Material And Location:

Aluminum alloy, qq-a-268, t4-canceled

Face Width:

0.368 inches

Design Form:

Plain

Bore Type:

Straight

Bearings:

Included

Counterbore Feature:

Not included

Bearing Quantity:

1

Hole Location:

Centered on pulley surface, 180 degs apart

Keying Facility:

Not included

Securing Method:

Drilled hole and threaded hole

Split Hub Feature:

Not included

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Crown Face:

Not included

NSN 3020-00-812-4878 Flat Pulley - Page 2 of 2

Rim Type:
Solid
Bore Feature:
Included
Bearing Type:
Needle roller
Protruding Hub Characteristic:
Plain
Securing Location:
Pulley surface
Hub End Outside Diameter And Location:
0.438 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.031 inches both ends
Surface Treatment:
Chromate
Style Designator:
Plain
Surface Treatment:
Chromate dipped
Fsc Application Data:
Radio set, radio, except navigation and home types, airborme
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
Т353-а

