NSN 3020-00-816-8193

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-816-8193

Body Style:				
Plain, solid				
Attachment Method:				
Clamp				
Pitch Diameter:				
Between 0.3115 inches and 0.3125 inches				
Teeth Quantity:				
20				
Bore Style:				
Plain both ends				
Backlash Designation:				
Grade c				
Outside Diameter:				
0.342 inches				
Tooth Form:				
Standard				
Pressure Angle:				
20.0000 degrees				
Distance Between Body Face And Protruding Hub End:				
0.270 inches first end				
Face Width:				
0.120 inches				
Bore Diameter:				
0.125 inches both ends				
Hub Style Designator:				
Split first end				
Hub Diameter:				
0.183 inches first end				
Clamping Surface Length:				
0.270 inches first end				
Precision Classification:				
Quality number 10 or quality number 11				
Material:				
Aluminum alloy 2024				
Material Specification:				
Qq-a-225/6, t4 federal specification single material response				
Surface Treatment:				
Anodize				
Surface Treatment Specification:				
Mil-a-8625 military specification single treatment response				

Protruding hub

Style Designator:

NSN 3020-00-816-8193

Spur Gear - Page 2 of 2



N/a			
Unit	Of	Mea	sure:

Shelf Life:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.