## NSN 3020-00-817-4390

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-817-4390 **Body Style:** Plain, solid Pitch Diameter: 1.5000 inches **Teeth Quantity:** 72 **Bore Style:** 10a w/ keyway both ends **Outside Diameter:** 1.540 inches Nominallength: 0.375 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.193 inches first end **Face Width:** 0.182 inches **Bore Diameter:** 0.312 inches both ends **Keyway Width:** 0.061 inches both ends **Distance From Bore Center To Keyway Bottom:** 0.206 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.500 inches first end **Precision Classification:** Quality number 9 Material: Aluminum alloy 7075 **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, type 2 military specification single treatment response **Style Designator:** Protruding hub Shelf Life:

N/a

## NSN 3020-00-817-4390

Spur Gear - Page 2 of 2



П	Init	7 1+	Measure:
u	,,,,,	v	wicasuic.

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.