NSN 3020-00-822-3265

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-822-3265

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
Between 0.4180 inches and 0.4220 inches
Teeth Quantity:
13
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
56 transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Nominallength:
0.406 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.188 inches first end
Face Width:
0.219 inches
Bore Diameter:
0.250 inches both ends
Hub Diameter:
0.328 inches first end
Material:
Steel comp 416
Material Specification:
Qq-s-763, class416 federal specification single material response
Surface Treatment:
Passivate
rassivale
Special Test Features:
Special Test Features:
Special Test Features: Navord od36190
Special Test Features: Navord od36190 Style Designator:
Special Test Features: Navord od36190 Style Designator: Protruding hub

N/a

NSN 3020-00-822-3265

Spur Gear - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A27300