## NSN 3020-00-825-0487

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-825-0487

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
5.7291 inches
Teeth Quantity:
275
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc axially through body, first end
Mounting Hole Thready Qty Per Inch (tpi):
32 axially through body, first end
Mounting Hole Thread Size:
0.164 inches axially through body, first end
Mounting Hole Type And Quantity:
1 countersunk axially through body, first end and 6 threaded axially through body, first end
Outside Diameter:
5.771 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Face Width:
0.375 inches
Bore Diameter:
4.941 inches both ends
Mounting Hole Diameter:
0.095 inches axially through body, first end
Bolt Hole Circle Diameter:
5.340 inches axially through body, first end
Special Features:
Mounting holes spaced 60 degrees apart and unthd hole spaced 0.372 in. From thd hole
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-200/3, t4 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification

ourrace realment openically

Mil-a-8625, type 1, class 1 military specification single treatment response

## NSN 3020-00-825-0487

Spur Gear - Page 2 of 2



Style Designator:
Hubless
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
Demilitarization:

Mil-std (military Standard):

Mil-a-8625 spec.