NSN 3020-00-825-0614

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-825-0614 **Outside Diameter:** 0.668 inches **Overall Length:** 0.234 inches **Bore Diameter:** 0.188 inches **Bore Length:** 0.234 inches Pitch Diameter: 0.616 inches **Face Width:** 0.062 inches **Design Form:** Plain **Bore Type:** Straight **Counterbore Feature:** Not included **Lubrication Mode:** No visible means **Keying Facility:** Not included **Lightening Hole:** Not included **Protruding Hub Characteristic:** Stepped **Groove/step Location:** Aa end Belt/chain/film Size For Which Designed: Roller chain **Roller Chain Pitch Type For Which Designed:** Single pitch **Teeth Row Quantity:** 1 **Teeth Quantity Per Row: Hardness Rating Test Method:**

Not rated

Bore Bearing:
Included

Hub External Keyway:
Not included

NSN 3020-00-825-0614 Sprocket Wheel - Page 2 of 2



Tooth Pitch:
0.148 inches
Hub End Outside Diameter And Location:
0.412 inches bb end
Distance From Outside Flange/rim To Hub End And Location:
0.032 inches bb end
First Step Face Largest Diameter And Location:
0.500 inches aa end
First Step Length And Location:
0.032 inches aa end
Second Step Length And Location:
0.109 inches aa end
Hub End Outside Diameter And Location:
0.375 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
0.141 inches aa end
Special Features:
First end hub includes roller chain relief groove
Material:
Brass and steel, corrosion resisting
Material:
Copper alloy and stainless steel
Surface Treatment:
Passivate
Style Designator:
Plain
Surface Treatment:
Passivated
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Filig:
T353-c