NSN 3020-00-826-8275

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-826-8275

,
Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.0000 inches
Teeth Quantity:
48
Bore Style:
W/counterbore both ends
Mounting Hole Type And Quantity:
2 plain axially through body, first end
Outside Diameter:
1.041 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.250 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.188 inches both ends
Counterbore Depth:
0.032 inches first end
Counterbore Diameter:
0.620 inches first end
Hub Style Designator:
1 step first end
End Length:
0.190 inches first end
Precision Classification:
Quality number 10 or quality number 11
End Diameter:
0.250 inches first end
First Step Length:
0.060 inches first end
First Step Diameter:
0.750 inches first end
Mounting Hole Diameter:
0.400 in share and all the second has the first second

0.109 inches axially through body, first end

NSN 3020-00-826-8275

Spur Gear - Page 2 of 2



Bolt Hole Circle Diameter:

0.375 inches axially through body, first end

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-225/6, t4 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 1 military specification single treatment response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.