NSN 3020-00-828-7331

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-828-7331

Body Style: Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 1.3750 inches **Teeth Quantity:** 88 **Bore Style:** Plain both ends **Backlash Designation:** Grade d **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thread Size: 0.138 inches transversely through hub, first end Mounting Hole Type And Quantity: 1 threaded transversely through hub, first end **Outside Diameter:** 1.406 inches **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.266 inches first end Face Width: 0.198 inches **Bore Diameter:** 0.562 inches both ends Hub Style Designator: Plain second end **Hub Diameter:** 1.030 inches both ends **Precision Classification:** Quality number 10 Material: Aluminum alloy 7075 **Material Specification:** Qq-a-250/12, t6 federal specification single material response Surface Treatment: Anodize **Surface Treatment Specification:**

Mil-a-8625, type 2 military specification single treatment response

NSN 3020-00-828-7331

Spur Gear - Page 2 of 2

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.

