NSN 3020-00-831-0264

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-831-0264

Outside Diameter:
Between 3.915 inches and 3.920 inches
Overall Length:
Between 2.367 inches and 2.375 inches
Bore Diameter:
Between 1.875 inches and 1.876 inches
Bore Length:
Between 2.367 inches and 2.375 inches
Pitch Diameter:
3.599 inches
Face Width:
Between 0.343 inches and 0.353 inches
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Not included
Lubrication Mode:
No visible means
Keying Facility:
Not included
Securing Method:
Retaining plate
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Securing Location:
Both ends
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
18
Asa Standard Chain Number:
50
Hardness Rating Test Method:

Not rated

NSN 3020-00-831-0264 Sprocket Wheel - Page 2 of 2



Bore Bearing:
Included
Hub External Keyway:
Not included
Tooth Pitch:
0.625 inches
Hub End Outside Diameter And Location:
2.375 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
1.016 inches aa end and 0.998 inches bb end and 1.016 inches bb end
Material:
Steel, qq-s-681, class 4b1
Material:
Steel, qq-s-681, class 4b1
Surface Treatment:
Phosphate
Style Designator:
Plain
Surface Treatment:
Phosphate
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
Т353-с