

View Online at <https://aerobasegroup.com/nsn/3020-00-831-7392>

**Groove Depth:**

0.750 inches

**Groove Width:**

Between 0.500 inches and 0.875 inches

**Outside Diameter:**

4.750 inches

**Overall Length:**

1.875 inches

**Keyway Width:**

0.188 inches

**Thread Size:**

0.312-18

**Bore Diameter:**

0.625 inches

**Bore Length:**

1.875 inches

**Distance From Center Of Bore To Bottom Of Keyway:**

0.406 inches

**V Groove Angle In Deg:**

36.0

**Pitch Diameter:**

Between 3.300 inches and 4.700 inches

**Securing Hole Quantity:**

2

**Furnished Items And Quantity:**

Setscrew 2 each

**Material And Location:**

Iron, cast

**Face Width:**

Between 0.688 inches and 1.062 inches

**Design Form:**

Plain

**Bore Type:**

Straight

**Bearings:**

Not included

**Groove Quantity:**

1

**Counterbore Feature:**

Not included

**Hole Location:**

1st end hole angle drill3d, centered 0.188 in. Iron hub end; 2nd end hole located on hub end and pulley face

**Keying Facility:**

Included

**Keying Facility Type:**

Keyway

**Securing Method:**

Threaded hole

**Split Hub Feature:**

Not included

**Lightening Hole:**

Not included

**Integral Cooling Vane:**

Not included

**Groove Shape:**

V

**Bore Feature:**

Included

**Protruding Hub Characteristic:**

Plain

**Securing Location:**

Both ends

**Hub End Outside Diameter And Location:**

2.000 inches aa end and 1.556 inches bb end

**Distance From Outside Flange/rim To Hub End And Location:**

0.500 inches aa end and 0.312 inches bb end

**Special Features:**

Variable pitch; 3l, 4l and 5l belts

**Quantity:**

1

**Surface Treatment:**

Paint

**Style Designator:**

Plain

**Surface Treatment:**

Painted

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T353-a