## NSN 3020-00-831-8785

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-831-8785

Pody Styles
Body Style: Plain, solid
Pitch Diameter:
Between 0.7993 inches and 0.8000 inches
Teeth Quantity:
64
Backlash Designation:  Grade e
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c
Nominallength: 1.532 inches
Tooth Form:
Standard  Processor Angles
Pressure Angle:
20.0000 degrees
Face Width:
0.078 inches
Hub Diameter:
0.375 inches second end
End Length:
0.250 inches first end
Precision Classification:
Quality number 12
Second Step Diameter:
0.375 inches first end
Material:
Steel comp 416
Material Specification:
Qq-s-764, type 416, cond t federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-std-171, finish no. 5.4.1 military standard single treatment response
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 3020-00-831-8785

Spur Gear - Page 2 of 2



Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.