NSN 3020-00-832-5660

Groove Pulley - Page 1 of 2

Counterbore Diameter:

Counterbore Depth:

2.600 inches

0.060 inches



View Online at https://aerobasegroup.com/nsn/3020-00-832-5660

Groove Depth:
Between 0.470 inches and 0.500 inches
Groove Width:
0.380 inches
Outside Diameter:
5.179 inches
Overall Length:
3.380 inches
Bore Diameter:
Between 0.747 inches and 0.749 inches
Bore Length:
0.320 inches
Drilled Hole Diameter:
Between 0.339 inches and 0.359 inches
V Groove Angle In Deg:
36.0
Pitch Diameter:
5.120 inches
Securing Hole Quantity:
4
Material And Location:
Iron, cast, qq-i-652, class 30
Face Width:
1.840 inches
Design Form:
Plain
Bore Type:
Straight
Bearings:
Not included
Groove Quantity:
3
Counterbore Feature:
Included
Counterbore Location:
Aa end

Hole Location:

Second end hub end

NSN 3020-00-832-5660 Groove Pulley - Page 2 of 2



Keying Facility:
Not included
Securing Method:
Drilled hole
Split Hub Feature:
Not included
Lightening Hole:
Not included
Integral Cooling Vane:
Not included
Groove Shape:
V
Bore Feature:
Included
Protruding Hub Characteristic:
Plain
Securing Location:
Bb end
Hub End Outside Diameter And Location:
3.120 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
3.120 inches aa end and 1.540 inches bb end
Surface Treatment:
Enamel
Style Designator:
Webbed or spoked
Surface Treatment:
Enameled
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-a