NSN 3020-00-833-1957

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-833-1957 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.2500 inches **Teeth Quantity:** 90 **Mounting Hole Thread Series Designator:** Unc axially through body, first end Mounting Hole Thready Qty Per Inch (tpi): 40 axially through body, first end **Mounting Hole Type And Quantity:** 3 threaded axially through body, first end **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.078 inches second end **Face Width:** 0.126 inches **Bore Diameter:** 0.188 inches both ends **Hub Diameter:** 0.250 inches second end **Precision Classification:** Quality number 6 or quality number 7 First Step Length: 0.062 inches first end First Step Diameter: 1.000 inches first end **Bolt Hole Circle Diameter:** 0.688 inches axially through body, first end Material: Steel comp 304 **Material Specification:** Aisi 304/sae 30304 assn standard single material response **Surface Treatment:**

Passivate

Style Designator:

Protruding hubs

NSN 3020-00-833-1957

Spur Gear - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300