## NSN 3020-00-835-9807



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-835-9807 **Body Style:** Webbed, solid **Spline Quantity:** 22 both ends **Attachment Method:** Mounting hole Pitch Diameter: 9.4568 inches **Teeth Quantity:** 48 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 4.0000 inches both ends Hardness Rating: 60.0 rockwell c and 63.0 rockwell c **Mounting Hole Type And Quantity:** 6 plain axially through body, first end **Outside Diameter:** 0.569 inches **Tooth Form:** Stub Pressure Angle: 22.7803 degrees **Distance Between Body Face And Protruding Hub End:** 0.708 inches first end **Face Width:** 1.230 inches **Bore Diameter:** 4.653 inches both ends **Hub Style Designator:** Plain second end **Hub Diameter:** 5.828 inches second end **First Groove Width:** 0.436 inches first end **First Groove Diameter:** 0.513 inches first end

Distance From End To First Groove:

0.255 inches first end

Mounting Hole Diameter:

7.000 inches axially through body, first end

## NSN 3020-00-835-9807

Spur Gear - Page 2 of 2

**Fiig:** A27300



Bolt Hole Circle Diameter:
3.500 inches axially through body, first end
Material:
Steel comp 4320h
Material Specification:
Fed standard 66 federal standard single material response
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No