## NSN 3020-00-836-5996

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-836-5996

**Body Style:** Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 1.0000 inches **Teeth Quantity:** 120 **Bore Style:** Plain both ends Mounting Hole Thread Series Designator: Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 120 transversely through hub, first end Mounting Hole Thread Size: 0.060 inches transversely through hub, first end Mounting Hole Type And Quantity: 2 threaded transversely through hub, first end **Outside Diameter:** 1.017 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.160 inches first end Face Width: 0.050 inches **Bore Diameter:** 0.0400 inches both ends Hub Style Designator: 1 step first end **Hub Diameter:** 0.090 inches first end End Length: 0.020 inches first end End Diameter: 0.090 inches first end First Step Length: 0.140 inches first end **First Step Diameter:** 0.250 inches first end

# NSN 3020-00-836-5996

Spur Gear - Page 2 of 2



Material:

Aluminum alloy 2024

## Material Specification:

Qq-a-268 federal specification single material response

## Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

#### Demilitarization:

No

#### Fiig:

A27300