# NSN 3020-00-839-5783

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-839-5783

**Body Style:** Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 3.0000 inches **Teeth Quantity:** 144 **Bore Style:** Plain both ends Mounting Hole Thread Series Designator: Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end Mounting Hole Thread Size: 0.138 inches transversely through hub, first end Mounting Hole Type And Quantity: 2 threaded transversely through hub, first end **Outside Diameter:** 3.041 inches **Pressure Angle:** 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.062 inches second end Face Width: 0.187 inches **Bore Diameter:** 0.312 inches both ends Hub Style Designator: Plain second end **Hub Diameter:** 0.501 inches first end End Length: 0.2505 inches first end End Diameter: 0.753 inches first end First Step Length: 0.2505 inches first end **First Step Diameter:** 0.812 inches first end **Special Features:** Mounting holeslocated 45 degrees apart on first end hub

# NSN 3020-00-839-5783

Spur Gear - Page 2 of 2



Material:

Copper alloy

## Material Specification:

Qq-p-330 federal specification single material response

## Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

#### Demilitarization:

No

#### Fiig:

A27300