NSN 3020-00-850-6498



Spur Antibacklash Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-850-6498 **Attachment Method:** Mounting hole Pitch Diameter: 1.3750 inches **Teeth Quantity:** 165 **Bore Style:** Plain both ends **Backlash Designation:** Grade d Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 1.392 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.375 inches first end **Precision Classification:** Quality number 10 Material: Steel comp 303se hub **Material Specification:** Qq-a-225/6 federal specification single material response body **Surface Treatment:** Passivate hub **Style Designator:**

Protruding hub

NSN 3020-00-850-6498

Spur Antibacklash Gear - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	

Mil-std (military Standard):

Mil-s-7720 spec.

Shelf Life: