## NSN 3020-00-851-3235



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-851-3235 **Body Style:** Plain, solid **Spline Quantity:** 15 both ends Pitch Diameter: 1.5000 inches **Teeth Quantity:** 24 **Bore Style:** Straight spline both ends Hardness Rating: 58.0 rockwell c and 63.0 rockwell c **Outside Diameter:** 1.615 inches Nominallength: 2.110 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.827 inches first end **Face Width:** 0.565 inches **Bore Diameter:** 0.439 inches both ends **Hub Style Designator:** 1 step both ends **End Length:** 0.600 inches second end **Precision Classification:** Quality number 9 **End Diameter:** 0.750 inches both ends First Step Length: 0.380 inches first end First Step Diameter: 0.900 inches both ends

Material: Steel

**Material Specification:** 

Qq-s-624 federal specification single material response

## NSN 3020-00-851-3235

Spur Gear - Page 2 of 2



| Sty |  |  |  |  |  |
|-----|--|--|--|--|--|
|     |  |  |  |  |  |

Protruding hubs

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300