

View Online at <https://aerobasegroup.com/nsn/3020-00-852-7379>

**Outside Diameter:**

2.640 inches

**Overall Length:**

0.840 inches

**Thread Size:**

1/4 in.-20

**Bore Diameter:**

0.4390 inches

**Bore Length:**

0.840 inches

**Pitch Diameter:**

2.400 inches

**Securing Hole Quantity:**

1 or 1

**Face Width:**

0.168 inches

**Guide:**

Not included

**Design Form:**

Plain

**Bore Type:**

Straight

**Counterbore Feature:**

Not included

**Hole Location:**

Located on hub portion of gear between hub end and face; located 90 degrees from thd hole

**Keying Facility:**

Not included

**Securing Method:**

Threaded hole

**Lightening Hole:**

Not included

**Protruding Hub Characteristic:**

Plain

**Securing Location:**

Aa end

**Err Default:**

Err default

**Belt/chain/film Size For Which Designed:**

Roller chain

**Roller Chain Pitch Type For Which Designed:**

Single pitch

**Teeth Row Quantity:**

1

**Teeth Quantity Per Row:**

20

**Asa Standard Chain Number:**

35

**Hardness Rating Test Method:**

Not rated

**Bore Bearing:**

Not included

**Hub External Keyway:**

Not included

**Tooth Pitch:**

0.375 inches

**Hub End Outside Diameter And Location:**

1.840 inches both ends

**Distance From Outside Flange/rim To Hub End And Location:**

0.672 inches both ends

**Material:**

Steel, qq-s-633, fs1010-canceled or steel, qq-s-633, fs1020-canceled

**Material:**

Steel comp 1010 or steel comp 1020

**Material Specification:**

Qq-s-633, fs1010-canceled federal specification 1st material response and qq-s-633, fs1020-canceled federal specification 2nd material response

**Style Designator:**

Plain

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T353-c